



AGENDA OF THE FINANCE COMMITTEE

TUESDAY, SEPTEMBER 26, 2023, 4:30 PM

In person at City Hall, Room 207.

Virtual attendance also available via Zoom.

A. Zoom Meeting Information.

- I. Join Zoom Meeting Online:

<https://us02web.zoom.us/j/88142524379?pwd=ekliUHNVYTJlRFpOUHVubTdXOHZYZz09>

Or call in by phone: +1 312 626 6799

Meeting ID: 881 4252 4379

Passcode: 846368

If you wish to speak at this public meeting or leave a comment, please fill out the online [Comment Form](#) prior to the meeting. More detailed [Zoom Instructions](#) can be found online.

B. Roll Call.

- I. Members: Ald. Brian Johnson, Ald. Jesse Brunette, Ald. Bill Galvin & Ald. Jim Hutchison.

C. Approval of the Agenda.

- I. Approval of the Finance Committee agenda for the September 26, 2023, meeting.

D. Approval of Minutes.

- I. Approval of the Finance Committee minutes from the September 12, 2023, meeting.

E. Regular Business.

- I. Consideration with possible action to purchase one Superliner Type I Ambulance from Jefferson Fire & Safety for \$341,950.00.
2. Consideration with possible action regarding a resolution to cover the first \$25,000 of the Carlson Dettman Consulting market assessment approved by the Common Council on May 2, 2023.

F. Report of the Finance Director.

G. Informational.

1. 2023 Contingency Account: \$244,643.36.
2. The next Finance Committee meeting will be held on October 10, 2023 at 4:30 PM.

H. Adjournment.

- 1) THIS MEETING IS RECORDED: THE VIDEO OF THIS MEETING AND MINUTES ARE AVAILABLE ONLINE AT www.greenbaywi.gov
- 2) ACCESSIBILITY: Any person wishing to attend who requires special accommodation because of a disability, should contact the City Safety Manager at 920-448-3125 at least 48 hours before the scheduled meeting time so that arrangements can be made.
- 3) QUORUM: Please take notice that a majority or quorum of the Common Council will attend this Finance Committee meeting and will constitute a meeting of the Common Council for purposes of discussion and information gathering relative to this agenda.
- 4) REPRESENTATION: The party requesting the communication, or their representative, should be present at this meeting.



Report to the
Finance Committee
of the City of Green Bay

MEETING DATE

September 26, 2023

PREPARED BY

Diana Ellenbecker, Finance Director

AGENDA ITEM # E.1

Consideration with possible action to purchase one Superliner Type I Ambulance from Jefferson Fire & Safety for \$341,950.00.

BACKGROUND

The Common Council approved ordering the ambulance in 2023 and to be paid with 2024 bonding after delivery.

RECOMMENDATION

Approval of the request.

FISCAL IMPACT**ATTACHMENTS**

- I. Ambulance Finance Request 10-10-23



Purchasing Department
100 North Jefferson Street - Room 101
Green Bay, Wisconsin 54301-5026
www.greenbaywi.gov

Phone 920.448.3047
Fax 920.448.3050

09/06/2023

Finance Committee 09/12/2023

Consideration with possible Action of Approval on the Purchase of one (1) ea. Super D 171" Superliner Type 1 Ambulance for the City of Green Bay Fire Department. This purchase is being made from Jefferson Fire and Safety through the Contract for a total of \$341,950.00. This Purchase will be costed through 424400-55140-41217 Equipment Replacement. The Ambulance is being purchased through the HGAC Federal Contract #AM10-20.

Respectfully Submitted,
Thomas J. Walenski
Thomas J. Walenski
Procurement Manager
City of Green Bay



LIFE LINE

EMERGENCY VEHICLES

AMBULANCE QUOTE (HGAC)

City of Green Bay
100 N Jefferson Street
Green Bay, WI 54301-5026
920-448-3051
920-448-3050
purchasingag@greenbaywi.gov

Jefferson Fire & Safety, Inc.
Rob Little
7620 Donna Drive
Middleton, WI 53562
(608) 836-0068
n/a
rob@jeffersonfire.com

Exp. Date: 09/30/2023

Quote No: 10944-0002

BODY: SUPER D

City of Green Bay Metro Fire Dept.

171" SUPERLINER TYPE I

09/05/2023

Page 1

PART NO	S	DESCRIPTION	QTY
	<	== 171" SUPERLINER TYPE I - 1.000 07/01/19 ==	
		HGAC CONTRACT #AM10-20	
		AM20NA02 Type I Superliner 171" Body Ford F450	
		MASTER PARTS REVISION DATE (Start 08-01-23 to 10-02-23)	
00-00-0500	<	LIFE LINE WARRANTY	1
		Warranties Include:	
		Lifetime Modular Body Warranty	
		Lifetime Electrical Harness Warranty	
		Lifetime Limited Cabinet Warranty	
		5-Year/60,000 Mile Product Conversion Warranty	
		10-Year/100,000 Mile Electrical Warranty Elite System	
		6-Year Pro-Rated LL Paint Warranty	
		Which is as follows:	
		For 3 Years 100%	
		4th Year 50%	
		5th Year 25%	
		6th Year 10%	

PART NO	S	DESCRIPTION	QTY
00-00-0700	<	>>>SHOP COPY DATE - FACTORY USE ONLY<<< Date Order Placed By Dealer:	1
		Draft Work Order Process Date:	
		1st Dealer Draft Date:	
		Final Dealer Draft Date:	
		Sign-Off Date:	
		Parts/Drafting/Paint:	
		Shop Release Date:	
		SFD:	
00-00-0800	<	Customer Contact Person (Required For Factory Use) Specify Name And Number:	1
		Drew Spielman Battalion Chief Green Bay Metro Fire 920-615-9154	
00-00-2100	<	Sales Rep: Rob Little 1-608-723-9126 Jefferson Fire & Safety, Inc.	1
00-00-DD00		Special Factory To Dealer/Customer Discount (FACTORY USE)	1
00-00-FL00	S <	Fill Unit With Fuel For Delivery (Charge To Dealer Account) BOTH FUEL AND DEF MUST BE FULL.	1
00-00-FN00	< >	Specify FORD Fleet Number If Available (FORD Chassis Only) Specify FIN Number: QB929 Active: Government City of Green Bay 100 N Jefferson St. Green Bay, WI 54303 Dealer Assignment	1
00-00-PU00	<	Specify Previous Unit Number: (FACTORY USE ONLY) 523022SD1 523122SD1	1

PART NO	S	DESCRIPTION	QTY
BODY STYLE			
00-02-1100	S	< > 171" x 96" SUPERLINER TYPE I PASS-THRU (F-450/550 OR RAM)	1
		Call For Factory Approval Before Customer Quote.	
		Call For Chassis Pricing.	
		PER SJ.	
CHASSIS			
10-00-0100		< Chassis VIN Number: (FACTORY USE ONLY)	1
		1FDUF4HT7NDA16195	
10-00-4900		< > 2024 Ford F-450 193" W.B. 16,500 GVWR 4 WD Cab/Chassis	1
		With Standard Ford O.E.M. 3-Year/36,000 Mile Warranty.	
		7-1-15 Elite Gen3 F-Series Requires & Includes 3 Batteries.	
		Standard 1 Battery under Hood with 2 in Battery Compartment	
		With a Maximum of 2 Under the Hood.	
		FINAL CHASSIS COST SUBJECT TO CHANGE BY FORD	
10-00-6050	S	< > Liquid Spring Suspension Kit For Ford F-450	1
		ALL WARRANTY ISSUES/CLAIMS GO TO THE INSTALLER.	
		Install the Liquid Springs controller to the left of the steering column	
		on the OEM dash.	
10-01-3400		< **FACTORY USE ONLY**	1
		Spare Chassis Keys And Owner's Manual Present.	
10-01-8000		< > Delete Standard Wheel Covers	1
		see 85-03-7010.	
10-02-1000		O.E.M. Door Mirrors	1
10-02-3500		O.E.M. Radio W/Cab Speakers	1
10-02-5000		Low Voltage Throttle Manager	1
10-02-5710		Delete Hand Held Cab Spot Light	1
10-03-0000	S	< > Large Custom Floor Console	1
		Top Flat Area:	
		* Air Horn Button. Driver Side.	
		* Carling Switch labeled "PLYMOVENT" To the right of the Air Horn	
		Button	
		* Suspension Dumped Warning Light, Centered.	
		Angled Portion:	

PART NO	S	DESCRIPTION	QTY	
		* Elite Touch Screen.		
		* Event Button, Right Of Elite Screen.		
		Flat Portion:		
		* Removable Black ABS Panel.		
		* Siren.		
		* Traffic Advisor.		
		* APX-8500 Control Head.		
		* (2) Large Cup Holders.		
		* Map Slots.		
		NOTE: INSTALL A 2 3/8" FINGER GROMMET ON THE PASSENGER SIDE OF CONSOLE SEE 10-DL-0400		
10-03-0035	< >	Add 15 Degree Wedge to Front Electrical Control Panel Screen Life Line Part #P07210.	1	
10-03-8200	<	Add Auto Dump Feature To Rear O.E.M. Lowering Suspension System w/"OS" Light Wire Circuit To Auto Dump From The Secondary Rear Door Switch. Includes: ON/OFF Safety Switch On Inner Primary Rear Door Panel. Includes #E24072 Safety Stainless Guard Around Switch. Whelen Red "OS" System Dumped Warning Light On Top Of Front Console.	1	
10-04-0000	<	F-Series & RAM Four Battery System (2) Mounted Under The Hood. (2) Mounted In The Standard Battery Compartment. Three of the Four Batteries are Standard with these Chassis.	1	
10-04-3500		Owner's Manual (1 Included With Unit)	1	
10-05-2000	< >	Under Cab Lights (1 Each Side) Switched On By Open Cab Door Circuit. (9" LED Tube Lights).	1	
10-CS-0110	< >	Exterior Keyless Entry Keypad on Cab (Ford Only)E & F Series, Transit wo/FRS (Keypad for chassis without factory remote start only) Ford Part#KB3Z-14A626-A Programming at local Ford Dealership LLEV #E13421 Rev A.	1	
10-CS-1350	< >	Real Wheels Tire Valve Stem Pressure LED Monitor (ea) Ship Loose Only.	6	

PART NO	S	DESCRIPTION	QTY
10-CS-1800	<	Install Dealer Supplied Brush Guard Install Dealer Supplied Aries #P3067 Brush Guard. see 95-DC-LL01.	1
10-DL-0100	S <	Whelen 70CREGCS Cab Dome Light Specify Custom Option: WHELEN #70CREGCS. Switch is built in the light. Install over passenger seat area in Cab headliner.	1
10-DL-0200	S <	Fluid Plate Specify Custom Option: A permanent plate shall be mounted on the driver's front console which specifies the quantity and type of fluid required including engine oil, engine coolant, transmission and drive axle. INSTALL ON THE DRIVER'S SIDE OF THE FRONT CONSOLE. Similar to #523022SD1	1
10-DL-0300	S <	Real Wheel Lug Covers Install Real Wheel Lug Covers. Stainless Lug Nut Covers to each outside tire bolt. Total of 40. For a 2022 Ford F-450 Chassis. NOTE TO PARTS: CONFIRM PART NUMBER FOR 2022 CHASSIS WAS THE SAME AS THE LAST UNIT.	40
10-DL-0400	S <	2 3/8" Hole with Grommet Specify Custom Option: Drill a 2 3/8" hole with Finger Grommet on the passenger side of console as high and forward as possible.	1
10-DL-0500	S <	Install Dealer Supplied Seat Covers Specify Custom Option: DEALER SUPPLIED/ LIFE LINE INSTALLED Seat Covers. Ford F-450 Super Duty (Full Size) See 95-DC-LL02.	2
10-SP-0100	S <	Install Dealer Supplied Knox Key Secure Specify Custom Option: Install Dealer Supplied Knox Key Secure KS5.	1

PART NO	S	DESCRIPTION	QTY
		NOTE TO PRODUCTION: INSTALL ON WALL ABOVE COUNTER TOP OF HEAD END CURBSIDE WORKSTATION JUST AFT OF THE 125V OUTLET. SEE #523022SD1	
		NOTE: Wire to battery on power. Not full time hot. See 95-DC-LL04.	
10-SP-0200	S <	<i>Install Dealer Supplied Gamber Johnson Base</i> Specify Custom Option: Install Dealer Supplied Gamber Johnson Base before reinstalling seat. Ship Rest Loose.	1
		Gamber Johnson Pedestal System Kit # 7170-0236 Two (2) 90° SMA adapters. See 95-DC-LL05.	
		MODULAR BODY TYPE I	
15-01-1600	S < >	<i>KKK Package</i> Includes: (2)-5# Fire Extinguishers. Ship Loose. See 15-DL-0100. Oxygen Wrench. Ship Loose.	1
		NOTE: DELETE FIRE EXTINGUISHERS FOR A CREDIT	
15-01-5000		> Standard 72" Finished Headroom	1
15-01-9005		<i>Cab To Module Sliding Pass-Thru Window</i>	1
15-02-0000	S <	<i>Standard Perko Body Intake And Exhaust Vents (2)</i> see 70-01-1010 for added exhaust vent.	1
15-02-1600	<	<i>1 Piece Stainless Steel Wheel Well Trim Rings (Small)</i> 18.75" radius for Ford F-Series. #F04200.	1
15-02-2500		Standard Cast Fuel Fill Housing	1
15-02-2605	<	<i>Standard F-Series DEF Fill Mounted Streetside Module in Front of Wheel Well</i> Mounted On The Streetside Module Body in Front Portion Of Wheel Well. FG4503-1-163-B CPI Housing LL Part# F04049	1
15-02-3210	< >	<i>Placard Holder & Plate Painted & Mounted to Module Body (Ea)</i> Specify Locations: (1) Front wall under drivers side turn signal. #LL1651 (1) Rear CURBSIDE of Module. #LL1650 (1) Rear STREETSIDE of Module On the D-3 Door. #LL1650	3

PART NO	S	DESCRIPTION	QTY
		NOTE TO PRODUCTION: NEW ONES WERE SHIPPED OUT FROM PARTS IN 2019 AND THESE NEED TO MATCH THOSE IN REFERENCE TO FRAMES AND SIZE OF PLACARDS.	
		10" x 10" THE ONE ON FRONT WALL NEEDS TO HAVE THE TRACK NOTHED 1.5" FROM TOP DOWN	
		PAINT TO MATCH BODY - RED. LETTERS ON PLACARD WILL BE GOLD OVER BLACK 3M REFLECTIVE.	
		Holders supply a "J" Channel for Placard.	
		On all placard holders there shall be a set screw on the open end for securing the slide in place.	
15-DL-0100	S <	<i>Credit for deleting the Fire Extinguishers</i> Specify Custom Option: Delete the 2 "KKK" package fire extinguishers.	2
15-DL-9902	< >	<i>Standard 3" Lowered Front Body Skirts F-Series & Dodge</i> Includes Dual Side Entry Step.	1
		MODULE DOORS AND WINDOWS	
20-00-0100	<	2 Red Reflectors On Each Module Entry Door One Mounted At The Top And One Mounted At The Bottom.	1
20-00-0500	<	<i>Combination Extruded/Pan Formed Module Entry Doors</i> With Clean Seal #50512 Door Gaskets. Includes Stainless Steel Sill Plates. Non-Slip Tape on Side Entry Sill Plate.	1
20-01-0000	<	<i>Full Height Side Entry Door With Gas Style Hold-Open</i> Position The Hold-Open At 90 Degrees. Identified as P-1. The narrow side entry does not meet "K" spec.	1
20-01-1000		Side & Rear Entry Door Thresholds With Black/Yellow Safety Anti Slip Tape	1
20-01-3000	< >	<i>Sliding Side Entry Door Window (Dark Tint)</i> Sliding Window With Screen And Dark Tint.	1
20-01-3500		Rear Doors With Grabber Style Hold-Opens	1
20-01-5500	< >	<i>Fixed Rear Entry Door Windows (Dark Tint)</i> With Dark Tint Option.	1

PART NO	S	DESCRIPTION	QTY
20-01-9000	<	Delete Exterior Assist Handle On Side Or Rear Entry Doors (Ea) Specify Deletion Location: Rear Entry Doors.	2
		Install Side Entry Door Assist Rail On Body AFT Of Side Entry Door.	
20-02-0000		Tri-Mark 030-18 Free Float Handles with Chrome Exterior and Black Pocket	1
20-02-1500		Primary & Secondary Exterior & Interior Rear Door Free Float Handles Standard	1
20-02-1600	<	Secondary Door Release Latches On All Entry Doors (3) L04025 Label LH Arrow. (3) L04026 Label RH Arrow.	1
20-02-2500		Shielded Cable Activated Module/Compartment Door Latches	1
20-02-3500		Cage Nuts On All Door Panels	1
20-02-4100	>	Smooth Aluminum Plate Lower Module Entry Door Trim Panels	1
20-02-6000	< >	Diamond Plate Side Entry Door Stepwell W/Sealed Seam Edges TYPE 1'S WILL HAVE DUAL SIDE ENTRY STEP STANDARD.	1
		EXTERIOR COMPARTMENTS	
25-00-0100	<	SPECIAL NOTE TO DEALER Custom Compartment Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges.	1
25-00-0200	<	2 Red Reflectors On Each Full Height Compartment Door One Mounted At The Top And One Mounted At The Bottom. One Reflector Mounted On Each Standard Height Compartment Door.	1
25-00-0500	<	Combination Extruded/Pan Formed Compartment Doors With Clean Seal #50512 Door Gaskets And Stainless Steel Sill Plates. Includes Gas Style Hold-Opens Unless Otherwise Noted. Special Note To Production: Position All Gas Hold-Opens For Maximum Allowable Door Opening. Does Not Include Doors That May Hit Other Compartment Doors.	1
25-00-0610	>	Smooth Aluminum Plate Exterior Compartment Door Panels	1
25-01-0000		Magnetic Compartment Door Switches	1
25-01-1000		Polyurethane Compartment Lining-Standard Gray	1
25-01-2500	< >	Standard TecNiq Model E41 LED Strip Lighting Surface Mounted Compartment Lights One Strip To Be Installed Vertically Inside Door Frame Against Wall #1 Or #3 As The Standard.	1
		18" (P2,P4)	

PART NO	S	DESCRIPTION	QTY	
		31.5" (D2)		
		54" (D3)		
		72" (D1)		
		The Standard Light Lengths Used Are:		
		18" E22140		
		31.5" E22141		
		54" E22145		
		72" E22149		
25-01-3300		Black Texture Coated Aluminum Exterior Compartment Vents	1	
25-04-3000	< >	Delete Superliner Curbside Front Backboard Compartment Specify Alternate Backboard Compartment: D1.	1	
25-04-4000	<	Half Height Superliner Curbside Front IS/OS Compartment P-2 Compartment, will be AFT of the side entry door. Dual Doors. NOTE: Compartment needs to be as wide as possible.	1	
25-04-5100	>	Move Superliner IS/OS And Side Entry Door Forward	1	
25-04-6000	S < >	1 Adjustable IS/OS Compartment PVC Shelves (1) Adjustable PVC Shelf in P-2. 1" LIP.	1	
25-04-7000		Cabinet Liner Lined Walls In The IS/OS Compartment	1	
25-04-8000	<	Superliner Curbside Front Battery Compartment P-3 Compartment, located under the P-2 IS/OS Compartment.	1	
25-05-2000	<	Superliner Double Door Curbside Rear Compartment P-4 Compartment.	1	
		SAME AS 523022SD1		
25-05-3500	<	Superliner Full Height Streetside Front Compartment D-1 Compartment.	1	
		NOTE: D1 will be same height as P1. Warning Light to remain on module body and not on the door. Make sure that the top has approx. 2 inches of the backboard above the door jam. Backboards are standard 72".		
25-05-5000	< >	Superliner Streetside Double Door Intermediate Compartment D-2 Compartment.	1	
25-05-9000	<	3/4 Height Single Door Streetside Rear Compartment D3 Compartment.	1	

PART NO	S	DESCRIPTION	QTY
		Double Plate Wall #2 For Future SCBA Brackets.	
		Stair chair on door with wheel pocket.	
		There will be an adjustable shelf above the stair chair for turn out gear.	
		Vent below floor level to exterior for Firefighter Gear.	
25-11-8000	< >	Diamond Plate Adjustable Shelf W/ Ribbed Rubber Matting (Ea)	3
		Diamond Plate With Standard 2" Lips.	
		Specify Compartments:	
		(2) D2 .	
		(1) D3, Above Stair Chair And SCBA Area.	
25-12-1000	<	Fixed .125" Vortex Covered Aluminum Vertical Divider (Ea)	1
		Specify Compartment: D1 Compartment.	
		Forward of O2 Tank, Full Height.	
25-12-1100	<	Adj .125" Vortex Covered Aluminum Vertical Divider (Ea)	1
		Specify Compartment:	
		(1) P4.	
		Ref. 523022SD1	
25-12-5000	<	Fixed Diamond Plate Shelf W/Ribbed Rubber Matting (Ea)	1
		Diamond Plate With Standard 2" Lip	
		Specify Compartment: D1 Compartment.	
		Right of Vertical divider, above the O2 access window.	
25-13-5600	<	1.5" Seat Belt Style Compartment Equipment Strap (Ea)	2
		Specify Compartment Locations:	
		(1) D1, Left side of divider (backboard area approx 35" off of the floor, from wall #1 to the divider.	
		(1) D1, Right side above fixed shelf. Divider to Wall #3. Split difference from shelf to door opening at the top.	
25-CS-0510	<	Custom Compartment Notch (ea)	2
		Specify Compartment:	
		(1) P-4 for waste.	
		(1) D2 for Knox Box	
25-CS-0900	<	Inner Door Panel Stair Chair Storage Bracket	1
		Specify Compartment: D3	
		Includes Center Section 2" Wide Seat Belt Style Strap.	
		Install The Short Strap In The Outer Most Position.	
		Trim The Upper Edge With "Q" Trim.	
		Box Is 5" High x 6 3/8" Deep x 21 1/2" Wide With (2) Wheel Holes.	
		Part #LL0900.	

PART NO	S	DESCRIPTION	QTY
25-DL-0100	S	< DA Finish Inner Door Panels Specify Custom Option: DA the forward facing door panels on P4 and D2. The rear facing panels will be getting chevron.	2
25-DL-0200	S	< Compartment Wall Reinforcement Specify Custom Option: D3. Double Plate Wall #2 For Future SCBA Brackets.	1
REAR STEP AND BUMPER ASSEMBLY			
30-01-1500		< > STD Rear Bumper W/Rubber Dock-Tow Hook Options Standard Rear Bumper With Rubber Dock Bumper And Tow Hook Options. Includes Standard Reinforced Corner Angle Supports & Aluminum Sub-Frame Bumper. Center Section And End Caps To Be At The Same Height. Tow Hooks Are Mounted Under The Bumper. Truss Head Style Phillips Screws Are To Be Used To Secure The Diamond Plate Bumper Pod To The Sub-frame.	1
30-01-3500		> Full Width Diamond Plate Rear Kick Plate ***IMPACT RAILS, STONE SHIELDS AND RUNNING BOARD***	1
35-01-0000		< One Piece Body Side Panels With Aluminum Lower Impact Rails Includes Lower Impact Rails Only.	1
35-01-3000		< > Diamond Plate Running Boards With Grip Strut Welded On Grip Strut.	1
35-01-7500		> Rear Mud Flaps With Metal Stabilizers	1
35-01-9000		Stainless Steel Compartment And Entry Door Sill Plates	1
35-02-0900		< Frame Rail Cover A Full Width Diamond Plate Frame Cover to Be Installed Between the Cab and the Module.	1
35-02-2500		< 36" High Front Stone Guards With Sealed Top Edge.	1
35-02-4500		< Rear Corner Stone Guards (Kick Plate Height) With Sealed Top Edge.	1
		< ***ELECTRICAL SYSTEM*** NOTE: SEE PICTURE SHOWING LAYOUT OF DAVID CLARK AND RADIO EQUIPMENT	

PART NO	S	DESCRIPTION	QTY
40-00-0550		< > Elite G3 Touch Screen Electrical System Includes: (1) Front Switch Panel, (1) Rear Switch Panel. (2) Carling Switches (1) Center Strip Lights (1) Momentary Disable Switch For Curb Side Scene Lights. Mounted on the curbside wall Aft of the side entry door. (1) Electric Oxygen with Regulator And Oxygen Display. Regulator Mounted On A Bracket Remote From The Oxygen Tank. Includes High Pressure Hose From The Tank To The Regulator. (3) Power Point Studs - They Will Include A Full-time Hot, Battery On (Ignition Hot), & Ground. These Are Rated 20 AMPS Or Less. Dealer To Specify Location: In Auxiliary electrical area on wall #1. Wall #3 must remain open for customer equipment Note: PLEASE TAKE INTO CONSIDERATION WHEN INSTALLING EQUIPMENT THAT CUSTOMER HAS TO ADD SOME EQUIPMENT AFTER DELIVERY. (1) Back-Up Camera (ASA VCCS150) (This Camera Will Always Be Displayed Thru The Elite Front Touch Screen And The Camera Head Will Be BLACK. Dome Lights On Low With Entry Door. (On High Is Not An Option) The R.F.S. Switch To Turn On the Center Strip Lights. Inverter Will Come On With Ignition, Along With Button Provided On Switch Panel.	1
40-01-0100		< > Move Rear Switch Panel To The Curbside Wall Specify Mounting Location: This will be in an angled cabinet on the curbside, under the forward bandage cabinet.	1
40-01-0320	S	< > Add Rear Touch Pad (Elite System) Specify Mounting Location: Action Area on the slanted area of the Action Area cabinet. Includes: (1) Rear Display Screen For O2, Temp & Fan Speed.	1
40-01-0410		< > Additional Carling Switch (ea) We will need a manual rocker switch, on/off, not momentary, mounted on the console (Top flat area to the right of the air horn button_. The switch will need to be powered by chassis ignition. We will need to have the switched circuit coming out of the switch to terminate inside the cab console, along with a chassis ground wire. The switch and wiring can be labeled "PLYMOVENT". This is just sending a signal to a wireless transmitter, so the load on this circuit is less than an amp.	1

PART NO	S	DESCRIPTION	QTY
40-01-0610	< >	Relocate Breaker Box to Cab Area Behind Passengers seat in Cab. Requires additional CAB/Module Wire Run Boot on Type I (Life Line Part #U10002) Ship tire jack loose.	1
40-01-2000	<	Reverse Activated Alarm With Momentary Auto Reset Switch ECCO #575 Alarm.	1
40-01-2500	< >	20 Amp Shoreline Inlet W/Heavy Duty Inlet Cover Includes Gray Heavy Duty Hubble Cover. Requires Exterior Shoreline Access Plate. #1602SS. Specify Location: ABOVE D2. SPECIAL NOTE ABOUT 125 VOLT CURRENT DRAW (AMPS) This Unit Has A 20 Amp Shoreline Inlet That At A Capacity Rating Of 125% Has A Maximum Amperage Load Of 16 Amps. This Unit As Ordered Has A Total 125 Volt Amp Draw Of ** Amps. This Leaves A Reserve Of ** Amps For Interior Outlets. This DOES NOT Include Any Customer/Dealer Installed Equipment.	1
40-01-6900	<	**FACTORY USE ONLY** Shoreline Inlet Adapter Plug Present.	1
40-01-7500	<	Shoreline On Indicator Light (Exterior) Mounted On The Shoreline Plate. (Red LED). Whelen "OS" Series Non-Flashing Is The Std. Light.	1
40-02-3500	< >	Vanner LSC12-1100 1100W Inverter With Display Includes 55 Amp Battery Charger Specify Remote Charger Display Location: Action Area Specify Remote Inverter Display Location: Action Area Installing Displays on any part of the exterior of the unit, Voids all Warranty issues from Vanner & Life Line.	1
40-03-0000	<	Action Area Dual 2.4 amp USB Charger And 20 amp 12v Outlet Full Time Hot Circuit. Part #E26088	1

PART NO	S	DESCRIPTION	QTY
40-03-2000	S <	Work Station Cabinet Dual 2.4 amp USB Charger And 20 amp 12v Outlet ILOS RFS, install in curbside head end work station cabinet in upper section on wall #1. Ref. 523022SD1 Full Time Hot Circuit.	1
40-03-5500	<	Add 12 Volt Power Outlet (Ea) Full Time Hot Circuit. Specify Locations: (1) Telemetry Area on Streetside Wall, Lower Area Above Countertop, Forward of 125V Outlet. (1) Above Shelf on Wall #2 in the lower walk-thru cabinet, below the 125V Outlet. (1) Cab Console Passenger side just above Vent.	3
40-03-6000		Action Area 125 Volt Standard Style Hospital Grade Outlet	1
40-03-7000	<	R.F.S. Cabinet 125 Volt Standard Style Hospital Grade Outlet ILOS RFS, install in curbside head end work station cabinet in upper section on wall #1. Ref.523022SD1	1
40-03-8500	<	Add 125 Volt Standard Style Hospital Grade Outlet (Ea) Specify Locations: (1) Action Area, next to standard. (1) Above Curbside Head End Workstation Cabinet. (1) Above Shelf on Wall #2 in the lower walk-thru cabinet, above the 12V Outlet. (1) Telemetry Area On Streetside Wall, Lower Area Above Countertop, Aft of 12V Outlet. (1) Cab - Behind Drivers Seat Corner by Console. All Cab Floor Requested Installs will Include Weatherproof Cover, Unless Otherwise Specified.	5
40-04-4000	>	Power Door Locks For Side Entry & Rear Entry Doors	1
40-04-4500	< >	Additional Power Door Lock (Ea) Door Locks Are Wired Thru The O.E.M. Door Lock Switches. Door Locks Are Thermally Protected With Pulsed Signals. Specify Compartment Location: P2.	1

PART NO	S	DESCRIPTION	QTY
40-04-5500	< >	Hidden Switch In Grille For Power Door Locks (Unlock Only) NOTE: 2020 + Ford F-SuperDuty Does Not Allow The Remote Unlock Switch To Unlock The Cab Doors. Ford Has Changed The Software On The Chassis Preventing Life Line From Communicating Thru The CAN Network. Hidden Switch Will Unlock Module Entry Doors And Exterior Compartment Doors Only.	1
40-04-7000	<	Interior Body Switch For Power Door Locks (Ea) Specify Location: Curbside Wall, next to the momentary disable and center strip light switches. (UNLOCK MODULAR ONLY)	1
40-05-1510	<	12 Volt Power And Ground Circuit (Ea) Specify Location: Dealer Supplied Knox Key Secure Specify Hot or Battery On: Wire to battery on power. Not full time hot. 20amp circuit ea.	1
40-DL-0100	S <	Assorted Hardware - Fasteners Specify Custom Option: Send a bag of assorted Life Line recommended hardware fasteners.	1
40-DL-0200	S <	Shoreline Pigtail Specify Custom Option: Include a 18" male pigtail with the shore connector on one end and a standard 20 Amp 3 prong plug on the other end. Ref. 523022SD1	1
40-DL-0300	S <	Install Dealer Supplied Rosco Vision Specify Custom Option: Install Dealer Supplied Rosco Vision DV440 Camera System. Install unit on windshield like previous units. Install a Red manual push button trigger on the console by the lower right corner of the HED screen. NOTE TO PRODUCTION: PLEASE INSTALL SO THERE IS ENOUGH ROOM UNDER THE REAR VIEW MIRROR TO REMOVE THE CAMERA OFF OF THE MOUNT. See 95-DC-LL09.	1
INTERIOR LIGHTING			

PART NO	S	DESCRIPTION	QTY
45-01-0000		Oxygen Compartment Light	1
45-01-0500	<	Side Entry Door Stepwell 3" Round LED Light Whelen 3" Round Super-LED Surface Mounted.	1
45-01-1510	<	8 Ceiling Lights Tecniq 8" LED Neutral White Frosted Dome With Chrome Trim 4-Streetside 4-Curbside TecNiq# E08-LC00-1	1
45-01-3000	S	14" TecNiq E32 LED Action Area Light	1
45-01-7530	< >	4-Tecniq Rectangular Low Profile LED E30 "LED" Center Strip Lights ILOS Model # E30-L0S0-1 This Light Includes A Switch On The Light.	1
EXTERIOR LIGHTING			
50-01-0001	<	Whelen M6 Series "LED" Stop/Tail Lights (Pr) #M6BTTC - Clear Lens. Mounted Above The Rear Kick Plate.	1
50-01-6001	<	Whelen M6 Series "LED" Amber Turn Lights (Pr) #M6TC - Clear Lens. Mounted Above The Rear M6 Series LED Stop/Tail Lights. They shall be programed to flash sequentially in the direction of the arrow.	1
50-02-7000	< >	Whelen M6T Series "LED" Amber ArrowTurn Light IATS (Pr) Specify Location: Front module wall outboard positions under the two M9 warning lights. #M6TC CLEAR LENS. Program To Flash Sequentially In The Direction Of The Arrow.	1
50-02-9000	>	C.P.I. License Plate Housing	1
50-02-9501	<	Whelen M6 Series LED Back-Up Lights (Pr) #M6BUW Mounted Above The Rear Turn Lights Unless Otherwise Specified.	1
50-03-5000		Delete The 2 Standard Rear Load Lights (Credit)	1
50-03-8500		Delete The 4 Standard Side Scene Lights (Credit)	1
50-03-9000		Right Side Scene Lights On With Open Side Entry Door	1
50-04-2000	<	Rear Side Scene Lights On In Reverse IATS Rear side and rear scene lights. M9RCZ Lower sections and Center PELCC Light. See 60-DL-0300.	1
50-04-5510	<	3" Round Super-LED Surface Mounted Compartment Door Flashing Light (Ea) Specify Locations: Lower corners of interior panel of exterior	7

PART NO	S	DESCRIPTION	QTY
		compartment and side entry door.	
		(5) Rear Facing exterior compartment doors. P2, P4, D1, D2, D3.	
		(2) P1 Side Entry Door. One at top and one at bottom.	
		Switched Curb entry, Curb compartment & street compartment.	
		Part # 3SR00FRR Specify LED & Lens Color: Red.	
50-04-7000	<	<i>Under Body Lights (2 Each Side)</i> Switched On By PARKING BRAKE ONLY, REGARDLESS OF DOORS BEING OPEN OR CLOSED	1
50-04-7500	< >	<i>Federal Commander COM1 "LED" ICC Marker Lights</i> COM1MC-A=Amber COM1MC-R=Red	1
50-04-8000	<	Innovative Lighting Slimline Rear DOT/Brake Light Mounted Above The Rear Doors. Mounted Above The Drip Rail Unless Otherwise Specified. Mid Sections To Be Wired Thru The Brake Light Circuit.	1
50-DL-0100	S <	<i>Pioneer Dual Spot/Flood Side Scene Lights</i> Specify Custom Option: Centered each side of module body. PIONEER #PCPSM2B. ILOS.	2
50-DL-0200	S <	<i>Code 3 Cab Mounted Spotlight</i> Specify Custom Option: Chassis Cab Roof Spot Light: Code 3 #CW3000 Black LED Wireless Remote Control Cab light.	1
RADIO PROVISIONS AND AIR HORNS			
55-01-3140	< >	<i>(2) 21" AHT Air Horns Thru Bumper Valance F-Series w/HDRR Compressor</i> Includes: LL# F15008 Heavy Duty Rapid Recovery Compressor Specify Compartment For Compressor Location: D2, Upper left corner. Mesh Cover Over Pump. One Standard Frame Mounted Air Tank (2) LL# F15005 21.5" Grover Stuttertone Air Horns Button/Switch Location: Top Flat Area of Front Console, drivers side.	1

PART NO	S	DESCRIPTION	QTY
55-02-1100	<	Install Customer Supplied Module Roof Antenna(Ea) Specify Termination Locations: #1 Front Module Roof to the auxiliary electrical cabinet. (radio cabinet) This is a Cellular/GPS/LTE Antenna (supplied by City) GPSD-7-27-24-58. 36" back from front edge of module, keep centered. Label "GPS". NOTE: THIS IS NOT FOR THE MULTIMODE GPS TRAFFIC EMITTER. THAT IS A DIFFERENT ANTENNA. See 55-DL-0400 #2 Mid Module Roof to the auxiliary electrical cabinet. (radio cabinet) Larsen NMOKHFUDTHK25 Thick Panel R/A NMO Cable. 30" Rearward of Antenna #1. Label "Antenna #2". #3 Rear Module Roof to behind the action area removable panel. Larsen NMOKHFUDTHK25 Thick Panel R/A NMO Cable. 30" Rearward of Antenna #2. Label "Antenna #3". Coil, Zip Tie & Tag.	3
55-02-1710	<	Install Customer Supplied Cab Roof Antenna(Ea) Specify Termination Location: Cab roof drivers side. (1) Larsen NMOKFUD assembly shall be mounted on cab roof and run back to the auxiliary electrical (radio cabinet) Label as "Cab Roof Antenna" Coil, Zip Tie & Tag.	1
55-02-5800	< >	Radio Pre-Wire Power Studs Over 20 AMP (Ea) Full Time Power And Ground And Battery On (Ignition On) Circuits. Termination Studs. Specify Termination Locations: (1) Behind Streetside action area wall (Radio Panel). (1) Front cab console. The radio power shall be wired to the cab doors. This means the radio shall power up whenever either cab door is opened or when the module side door is opened regardless if the ignition is in the on position. Specify What Amperage Is Needed: 30 Amp. 10g wire. Coil, Zip Tie & Tag.	2

PART NO	S	DESCRIPTION	QTY
55-02-6500	< >	Install Customer Supplied Radio Cables (Ea) Specify Routing And Termination Locations: (1) Auxiliary Electrical to the front console. (1) Auxiliary Electrical to the rear radio panel in streetside action area. CABLES MUST BE AT LIFE LINE PRIOR TO CONSTRUCTION START. Ship to: Life Line Emergency Vehicles 1021 West 1st Street Sumner, IA 50674 **NO EXCEPTIONS** ALL CABLES MUST BE MARKED FOR ORIGIN AND TERMINATION. ANY CABLE THAT IS NOT MARKED WILL NOT BE INSTALLED. **NO EXCEPTIONS**	2
55-DL-0100	S <	Install Customer Supplied Radio Equipment Specify Custom Option: Mounting A Motorola APX-8500 radio and two control heads (furnished by City) shall be mounted. The actual radio (transceiver) shall be mounted in the auxiliary electrical cabinet. One APX-8500 control head shall be mounted in the streetside action area. Customer will supply the bezel. A UHF radio 800 (furnished by the City) with its self contained speaker shall also be mounted below the streetside action area. There shall be two (2) radio speakers mounted. One shall be mounted in the cab mounted up high behind the driver and passenger seats and one be mounted in the rear action area. Speaker wires will terminate to each respective remote head location. Ref. 523022SD1 Radio installation in the action area shall be in this order, left to right, speaker, APX 8500 radio, UHF 800 radio mount with brackets with the face of the radio flush or sticking out of the removable panel and then the David Clark Station. NOTE: RADIO POWER MUST POWER UP WHEN CAB DOORS OPEN TO POWER UP HED SYSTEM.	1
55-DL-0200	S <	Cat5 or 6 and DB9 Cable Run Specify Custom Option: CUSTOMER SUPPLIED	2

PART NO	S	DESCRIPTION	QTY
		There shall be one Cat5 cable and one DB9 serial cable routed from the AUX ELECT radio cabinet to inside the cab console.	
		NOTE: Please run like the rest of the cables up through the wire access in the bottom of the radio cabinet instead of up and over the wall then back down the wall to run through the pass through.	
55-DL-0300	S	< Install David Clark 3800 Series System Specify Custom Option:	1
		NOTE: SEE PICTURES FOR EQUIPMENT PLACEMENT IN THE AUX ELECTRICAL CABINET FOR THIS UNIT. SLIGHTLY DIFFERENT THAN THE LAST UNIT.	
		Install Dealer Supplied 3800 series David Clark system. To include cabling for a Motorola APX7500 radio, three (3) wired headsets, four (4) headset modules, four (4) hanger hooks (ship loose) and all additional cabling required.	
		Actual location of headsets and intercom box shall be similar to #523022SD1	
		David Clark Intercom System Includes: (1) #U3800 Master Station - Aux Elect Cabinet (1) #U3805 Radio Cord Junction Module - Aux Elect Cabinet (1) #U3811 Radio Interface Module/Headset Station - Action area next to HED Panel by CPR Seat. (3) #U3815 Radio Interface/Headset Stations. a. One Over Drivers Right Shoulder, there will be a remote PTT Button on Console, with Life Line made guard. b. One Over Passengers Left Shoulder, there will be a remote PTT Button on Console with Life Line made guard. c. One Near EVS Seat Curbside. (1) #C3408 8' Jumper Cord. (1) #C38-12 12' Jumper Cord. (1) #C38-25 25' Jumper Cord. (1) #C38-35 35' Jumper Cord. (1) #C3820 20' Power Cord. (4) #C3821-05 Radio Interface Cable 3800 Modules to U3805. (1) #C3821-RD1 Radio Interface Cable 3800 System to Motorola APX-7500. Headsets: (4) Headset Hooks. Ship Loose. (40) Feet of 2 Conductor Cable. (2) MS Connector - 5 pin. (2) Remote PTT Buttons. Life Line made the guards for the PTT buttons on previous unit.	

PART NO	S	DESCRIPTION	QTY
		NOTE: DO NOT INSTALL HEADSET HOOKS THIS TIME - SHIP LOOSE	
		*****VERY IMPORTANT*****	
		DUE TO SERVICING THIS UNIT, PLEASE DO NOT BEND CABLES TIGHT WHEN INSTALLING, LEAVE SOME SLACK. TIGHT BENT CABLES CREATE PROBLEMS IN THE FUTURE AND MAKE IT DIFFICULT TO REMOVE AND REPLACE. THE UNITS IN THE CAB HEADLINER BEHIND DRIVER AND PASSENGER PLEASE LEAVE SOME SEPARATION.	
		NOTE: PLEASE SHOW DAVID CLARK STATIONS ON DRAWINGS - CURBSIDE ON WALL RIGHT OF HED PANEL AND STREETSIDE ACTION AREA RIGHT OF THE RADIO.	
		NOTE TO PRODUCTION: CURBSIDE HEAD SET STATION,. LAST UNIT THE PADDING TO THE RIGHT WAS VERY TIGHT CAUSING CABLE TO HAVE A SIGNIFICANT BEND, PLEASE ALLOW MORE ROOM AROUND THIS DEVICE SO CABLES HAVE GRADUAL BENDS.	
55-DL-0400	S <	GTT Multimode Emitter Antenna See 60-DL-0200. Antenna for GTT Multimode Emitter will be mounted on module roof above the D1 compartment. 18" from side of roof edge and 12" from front roof edge. Terminate in the auxiliary electrical cabinet and connect to the Multimode box for the traffic emitter.	1
55-DL-0500	S <	Blue Sea Fuse Block Specify Custom Option: Install Blue Sea #5032 Split Bus Fuse Block with Ground Stud (1) Auxiliary Electrical Cabinet. (1) Under Front Console. See Pics. NOTE: THESE WILL TAKE PLACE OF THE TWO CIRCUIT BREAKERS IN THE AUX ELECTRICAL CABINET. THIS IS IN ADDITION TO OUR STANDARD POWER STUDS LOCATED IN THE AUX ELECT.	2
	<	***SIRENS AND EMERGENCY LIGHTING*** ALL LIGHTS WILL HAVE CLEAR LENS. ALL WARNING LIGHTS ON IN PRIMARY AND SECONDARY MODES, ONLY (2) FORWARD FACING FRONT WALL CLEAR LIGHTS POS 2&5 AND (2) SIDE FACING BRUSH GUARD LIGHTS WILL SHUT DOWN IN SECONDARY.	

PART NO	S	DESCRIPTION	QTY
60-01-3500	S <	Whelen 295SL101 Siren 295SL101 SIREN AMP REMOVE MIC.	1
		Mount the siren control front console, middle flat portion as forward as possible on ABS Panel.	
		Requires #P07081 Bezel	
60-01-3700		Delete Standard Whelen295HFS2 Siren System (Credit)	1
60-01-4500	< >	Federal Signal ES100C Behind Bumper Siren Speakers After Market Bumper Only Mounted Behind Bumper Wings. "F" guard Cover Included.	1
60-02-1600		Delete The 4 Standard Side Warning Lights (Credit)	1
60-02-5000		Delete The 2 Standard Front Module Warning Lights (Credit)	1
60-02-8100		Delete The Standard Center Front Module Warning Light (Credit)	1
60-03-2500		Delete The 2 Standard Rear Warning Lights (Credit)	1
60-04-4500		Delete The Standard Rear Center Warning Light (Credit)	1
60-05-0205		Delete The 2 Whelen ION T-Series Linear Super-LED Grille Lights (Credit)	1
60-05-0499		Delete The 2 Whelen ION Wide Angle Super "LED" Intersection Lights (Type I) (Cr)	1
60-06-3502	< >	2 Whelen M6 Series "LED" Rear Wheel Well Lights Specify Whelen Model#: M6D - Red/White Split. White - Forward. Flash Pattern: MODUFLASH	1
60-07-1905	<	Low Power Function For Light (ea.) Specify lights: All (5) Rear Warning Lights. Activates with clearance lights turned on. Ref. 523022SD1	4
60-08-1300	< >	Emitter Recess Bezel Mount Kit For Front Module Wall Mount Will be for GTT 794H inferred emitter. Center position between M9 Lights on the front module wall.	1
60-08-8710	S <	Whelen TANF85AA Rear Traffic Advisor TANF85AA With 45' Interconnect Cable With 6 Amber LED with (2) End Flashers. Specify colors: AMBER. Comet Flash Pattern. Specify Remote Location: FRONT CONSOLE NOTE: CLEAR LENS. NOTE: THIS WAS SET TO TURN ON WITH EMERGENCY MASTER Ref.	1

PART NO	S	DESCRIPTION	QTY
		523022SD1	
60-09-4453	< >	Whelen ION "LED" Grille Light Clear Lens with Chrome Flange (Ea) Specify Location: Side of Brush Guard. Whelen Light Number: ##WIONSMCD - Split White/Red. Flash Pattern: MODUFLASH NOTE: THESE WILL SHUT OFF IN SECONDARY WITH TWO FORWARD FACING WHITE LIGHTS. Pos 2&5	2
60-10-0160	<	Rear Window Level Whelen M9 Red Or Amber Or Blue Or Clear "LED" Lights (2) Specify Color: #M9RC - Red with Clear Lens. Comet Flash Pattern. Dim with clearance.	1
60-12-1010	S < >	Federal Signal LED Crash Rail Light Red/Red (Ea) Model # MPS600U-RR, 6 LED, Single Color (Red/Red), Clear Lens. Specify Flash Option: Comet. Install on Impact Rail as Forward as Possible. One on each side. On in Primary and Secondary	2
60-DL-0100	S <	6 Whelen M9 Series LED Front Module Warning Lights Specify Custom Option: Front Module Wall Lights. Whelen Part #: (4) M9RC - Red with Clear Lens. Positions 1,3,4,6. (2) M9C - White. Positions 2,5. Sec. Off. MODU Flash Pattern. LAYOUT TO BE R/C/R/EMITTER/R/C/R. NOTE: THE TWO M9C WILL SHUT OFF IN SECONDARY MODE.	1
60-DL-0200	S <	GTT Multimode Opticom Traffic Emitter Specify Custom Option: This system should consist of 3 pieces: 1) Separate Radio/GPS antenna on the box roof that will be mounted above the D1 area on the roof. (55-DL-0400) 2) 794H IR emitter recessed in the front wall of the module. 3) Control box mounted in the aux. electrical cabinet.	1

PART NO	S	DESCRIPTION	QTY
		Provide and install a separate radio/GPS antenna for this system. The cables from this antenna are to connect to the control box mounted in the Aux electrical cabinet. The 794H emitter should also be wired to and controlled by the control box in the aux electrical cabinet.	
		To clarify For the GTT/Opticom system are:	
		Install the Radio/GPS antenna on the module roof as spelled out in the antenna section	
		Run these antenna cables from the opticom radio/GPS antenna to the aux electrical cabinet and connect to the back of the opticom control box.	
		Run the power cables from the 794H emitter to the aux electrical cabinet and connect to the back of the opticom control box.	
		GTT Item #'s 76-1000-1155 76-1000-1039-0	
60-DL-0300	S	< Whelen M9RCZ LED Lights Specify Color: RED #M9RCZ - Combination Warning/Scene Light. Flash Pattern: MODUFLASH (4) Two Each Side Of Module Body. (2) Rear Of Module Warning Lights. Dim with Clearance Lights.	6
		NOTE: CLEAR LIGHT SECTION WILL BE USED AS STEADY BURN SCENE LIGHTING ON ALL (6).	
60-DL-0400	S	< Whelen SLFLASH Specify Custom Option: Install a Whelen SLFLASH Flasher for the (4) rear warning lights. This will be for changing flash patterns when system goes into secondary mode. Primary Mode - Warning lights will flash MODU Flash. Secondary Mode - Warning lights will alternate left wall with right wall with a slow flash pattern, similar to a slow wig wag. NOTE TO PRODUCTION: THE LAST UNIT THESE LIGHTS WERE NOT SET ON STEADY SO THE FLASH PATTERN WAS NOT CORRECT.	1
60-DL-0500	S	< Whelen PELCC Specify Custom Option: Whelen #PELCC perimeter enhancement light. ILOS.	1

PART NO	S	DESCRIPTION	QTY
		Install upper center "Load Light" above rear entry doors.	
		This light will activate with rear entry doors, rear scene and back up.	
60-SP-0100	S <	Whelen Dominator Specify Custom Option: Install Whelen Dominator on Grille Guard.	1
		D6 - DOMINATOR 6 LED R/R/R/R/R.	
		FLASH PATTERN WILL BE ZIG ZAG.	
		NOTE: Will have a separate switch in the Elite Screen Labeled "Dominator" and will be on in both primary and secondary modes.	
		NOTE TO PRODUCTION: This will have to be programmed manually the programmer doesn't have this flash pattern in it.	
		PATIENT COMPARTMENT	
65-00-0100		Standard Solid Surface Construction Interior Cabinets	1
65-00-9900	<	SPECIAL NOTE TO DEALER Custom Cabinet Options/Designs Not Listed In The Published Options List MAY Result In Additional Charges.	1
65-01-2000		Standard Smooth Headliner	1
65-01-3500	<	1/4" Gray Tinted Polycarbonate Sliding Doors On Cabinets Includes Brushed Finish Interior Trim. Note: Lower Sliding Pocket Door Needs To Be Tinted Also.	1
65-02-2240	< >	"Dealer/Customer Supplied Package" Stryker Power or Performance Load System INSTALL DEALER SUPPLIED POWER LOAD Will Be Center Mount Unless Otherwise Specified Includes: Floor Structure - Tapping Blocks Includes Life Line Supplied Power & Performance Load Floor Plate Kit #6390-700-001 - (Needs to Include Track Cover) Wire with 10 Gauge Power and Ground with a 15 Amp Circuit Breaker Powered by Shoreline or Battery on Power. The Power And Ground Is Run To Inside The Track, Or To Trolley If Supplied. Complete 6390 Power or 6392 Performance Load System Installed Be sure to leave main power switch in the off position. Will Be Center Mount Unless Otherwise Specified Does NOT include cot. Includes Std. Life Line Push Rail Floor Mount Stryker Part# 6360-030-11 LL#F09042 Does Not Include Push Rail	1

PART NO	S	DESCRIPTION	QTY
65-02-8000	<	L.R.O. Cabinet With Speed Load Door With Positive Lock Feature. To Include (1) Adjustable PVC Shelf.	1
65-03-4510	<	Cabinet Above The Side Seat W/Top Hinged Frameless Heavy Polycarbonate Door Cabinet Above Side Seat W/Top Hinged Framless Poly Door.	1
65-03-7500	<	L.F.O. Cabinet With Speed Load Door With Positive Lock Feature. To Include (1) Adjustable PVC Shelf.	1
65-04-2300	<	Delete Standard Left Rear Base Cabinet (Factory Use) Deleted Due To Custom Compartment Or Cabinet Design ILOS.	1
65-04-6600		Delete Standard Telemetry Area Cabinet	1
65-04-8000	S <	Lower Telemetry Area Cabinet W/Framed Removable Panel This will have a Dometic Drawer mounted in this area.	1
65-05-0000	<	Slanted Action Area Switch Panel Includes Solid Surface Removable Radio Panel. Ref. 523022SD1 Note: This Cabinet will have the HED Touch Pad Panel Installed.	1
65-05-2100	<	Delete Standard Lower Action Area Cabinet (Factory Use) Deleted Due To Custom Compartment Or Cabinet Design ILOS.	1
65-05-3600	<	Delete STD Action Area Tip-Out Trash Cabinet (Factory Use) Deleted Due To Custom Compartment Or Cabinet Design ILOS.	1
65-05-4500	<	Side Facing CPR Seat w/Contoured ERGO Backrest & 4-Point Belt with Hinge Lid Includes Black IMMI 4-Point Seat Belt. Backrest Color To Be: Black MV117 (Black)	1
65-05-8005	< >	Rear Facing Valor Sewn Attendant Seat w/Child Safety Seat On Pedestal/Swivel Valor Sewn Seat with Child Safety Seat & Life Line Logo Montana Dark Graphite MON-7096 (Dark Gray) Includes 4-Point Belt Question: Will there be an O2 Bottle Attached to the Head of the Cot? NO. NOTE: INSTALL SEAT CLOSER TO ACTION AREA TO USE WITH WRITING TRAY, THIS WILL BE OFF CENTER OF COT. Ref. 523022SD1 NOTE TO PRODUCTION: VORTEX BOTTOM HALF OF BASE, THESE ARE RUSTING AND STAINING FLOOR.	1

PART NO	S	DESCRIPTION	QTY
		see 85-DL-0100	
65-05-9795	<	Delete Contoured ERGO Backrest/IMMI 4 Point Seatbelt (Ea) DELETE ONE FROM CURBSIDE SQUAD BENCH.	1
65-06-2000	< >	Rear Facing Electrical Cabinet And Door Vent Accordingly.	1
65-07-2000		Delete Right Front Upper ALS Cabinet Doors	1
65-07-5000		Delete Right Front Lower ALS Cabinet Doors	1
65-07-9000	< >	Add Cabinet In The Lower Walk-Thru Area With Solid Surface Corian Counter Top Area. Standard Lip.	1
		Includes (1) Adjustable PVC Shelf.	
		NOTE: This cabinet will be open storage facing the side entry door and will be angled to closely match upper angled HVAC head pad area.	
		NOTE TO PRODUCTION: THE ACCESS PANEL IN THE REAR OF THIS CABINET NEEDS TO BE TALLER TO BE ABLE TO ACCESS THE AREA UNDER THE FLOOR OF THE AUX ELECTRICAL CABINET IF AT ALL POSSIBLE. THE LAST UNIT THIS PANEL STOPPED BELOW THIS AREA.	
		Ref. 523022SD1	
65-07-9500	<	CS Squad Bench w/Contoured ERGO Backrests w/2 Piece Lid & Divider Includes 2 Sets Of Black IMMI 4-Point Seat Belts Includes 3 Cot Restraints & Retractors. Backrest Color To Be: Black MV117 (Black)	1
		Note To Customer: The storage under these seats have a center divider.	
		Note: Foot End will stop short for a drop in waste.	
		Ref. 523022SD1	
65-08-3500		Squad Bench Head End Retaining Board And Cushion	1
65-08-8500		Squad Bench Headrest Cushion	1
65-09-4000	< >	Three Section Bandage Cab W/Top Hinged Polycarbonate Door Specify Cabinet Depth: 8". Heavy Poly with M1 Latch on each. Note: Head Room Clearance does not meet KKK.	1
65-09-6000	<	Recessed Glove Box Storage In Cushion Area Above Doors(Ea) Recessed Storage Box With Top Hinged Polycarbonate Door. Specify Location: Above rear entry doors.	2

PART NO	S	DESCRIPTION	QTY
		Specify Number Of Box Cut-Outs: 2.	
		SPECIAL NOTE:	
		Unless Otherwise Specified, Cabinet Will Fit A 5" High x 10" Wide x 4" Deep Glove Box.	
65-09-6100	<	Recessed Glove (Three) Box Storage In Side Door Cushion Area	1
		Recessed Storage Box With Top Hinged Polycarbonate Door.	
		SPECIAL NOTE:	
		Unless Otherwise Specified, Cabinet Will Fit A 5" High x 10" Wide x 4" Deep Glove Box.	
65-09-8000	< >	Single Metal Glove Butler (Ea)	2
		Specify Location: Install on cab back wall Ref 523022SD1	
65-09-8500		100" Long Formed Streetside Ceiling Grab Rail	1
65-09-9505		70" Long Formed Curbside Ceiling Grab Rail	1
65-10-0000	<	Custom Length Formed Curbside Ceiling Grab Rail	1
		Specify Custom Length: 20".	
		Oxygen outlet will be mounted between the 20" and 70" Ceiling grab rails.	
65-10-0500		Formed "L" Door Assist Rails Mounted On The Hinge Side	1
65-10-2000	< >	Formed Assist Rail At The Head End Of The Squad Bench	1
		12" Rail.	
		Mount on head end work cabinet, step well side.	
65-10-3000		Delete Formed Assist Rail On The Left Rear Wall	1
65-10-5000	<	Two C.P.I. #IV2008 Rubber Recessed IV Brackets	1
		Mounted in the Mid/Rear cot position	
65-10-6100	<	Add C.P.I. #IV2008 Rubber Recessed IV Bracket (Ea)	2
		Specify Location: Forward Cot Area.	
		Ref. 523022SD1	
65-10-9000		Southco M1 Stainless Cabinet Latches	1
65-11-5500	<	Pull Out Writing Tray Below Action Area	1
		ADD WRITING TRAY ABOVE KNOX MEDVAULT AND INSTALL IN A POSITION THAT CAN BE USED WITH THE ATTENDNT SEAT ERGONOMICALLY.	
		Note: If the latch on the writing tray shall break the Knox Box will need to be removed in order to fix the writing tray.	
65-12-2800		Intellitec Clock/Time Manager Mounted In Rear Head Cushion	1
65-12-5345	<	Install Dealer Supplied MedVault (Ea)	1
		Specify Custom Option: Install Dealer Supplied Knox Medvault in	

PART NO	S	DESCRIPTION	QTY
		lower action area.	
		Non WiFi	
		(1) 5520-Med Vault 2.	
		With Audit Trail.	
		Standard Door.	
		Recess Mount.	
		Light Bar.	
		Software Included.	
		INCLUDES 12V POWER AND GROUND	
65-12-7600	S <	Drop In Waste At The Foot End of Squad Bench WASTE ONLY - Life Line Standard Waste Container.	1
		Footend of curbside squad bench.	
		Waste can open with no cover. Install waste so it sits in opening and held by rim of waste can.	
		Turn can so squad bench can remain as long as possible.	
		NOTE: If possible use a black ABS cover with cutout in case waste can size changes customer can replace the ABS cover with a different size.	
65-15-0004		Interior Laminate: Gunmetal (Fog) Matte D355-60	1
65-17-0001		Seam Sealed Cushions Vinyl: Montana Dark Graphite MON-7096 (Dark Gray)	1
65-17-0517	>	EVS Seamless/Medi-Vac Vinyl Color: Black MV117 (Black)	1
65-18-0002		Welting Between Cabinets: Light Gray	1
65-19-0010	< >	Counter Tops (Main): Dove Standard with 1" Lip, unless specified. 1) Action Area. Standard Lip. 2) Curbside head end cabinet. Standard Lip. 3) Lower walk-thru cabinet. Standard Lip. 4) Telemetry area, NO Lip.	1
65-20-0011		Counter Tops (Accent Stripe): Platinum	1
65-21-0005	< >	Lonseal Floor Selection: Loncoin II #183 Sonic Gray Specify: Rolled Up 4" On Both Sides.	1
65-CS-0950	S <	Additional Counter Top Colors To Match As Specified	1
		8" X 8" SPACER FOR COUNTER TOP	
		SHIP LOOSE	
65-CS-1000	<	Add Angled Cabinet For The 2nd Rear Switch Panel Mounted At The Head End Of The Squad Bench Below The Bandage Cabinet. (Requires 8" Deep Bandage Cabinet)	1

PART NO	S	DESCRIPTION	QTY
		FOR HED TOUCH SCREEN.	
65-CS-3000	<	<i>Total Available Seating Positions In this Unit</i> Including Cab, Module And Cot.	7
65-DL-0100	S <	<i>Cabinet Above the Head End Workstation</i> Specify Custom Option: Install a cabinet above the head end workstation that starts from the headliner and is the same width as the head end workstation. Sliding Poly Tinted Doors. Includes (1) Adjustable PVC Shelf. Due to the new style glove storage cabinet this cabinet will be narrower than the pervious unit. Ref. 523022SD1	1
65-DL-0200	S <	<i>Superliner Head of Squad Bench Workstation</i> Specify Custom Option: Ref. 523022SD1 44" Wide The height will be so that there is 16" between the countertop and the upper cabinet. Includes corian countertop with standard lip. The front forward corner will be angled slightly to open up the walk way. Ref.523022SD1 Bottom of cabinet (floor) will not have a lip.	1
PATIENT COMPARTMENT ENVIRONMENTAL SYSTEMS			
70-01-0000		Static Module Fresh Air Intake Vent	1
70-01-1010	<	<i>Turbo 4000 12 Volt Powered 4" Exhaust Fan ILOS</i> (1) E09226 Atwood 4" Fan (1) M040666 4" Vent Hose (2) LL Aluminum Manifolds (1) Additional F06001 Perko Cowl Vent Includes (2) Interior Perko Vents	1
70-01-2301	< >	<i>Ducted Hoseline Center Mounted Heat/AC Location ILOS</i> Includes Center Evaporator/Heater Core Location. Evaporator Model #ACHU1118.	1
70-01-2400	<	Inline Booster Coolant Pump 12 Volt Centrifugal Pump To Boost The Flow Capacity Of The Coolant System.	1
70-01-4510	<	<i>Hoseline Front Wall Mounted Aux 12 Volt A/C Condenser (Type I Modular Body)</i>	1

PART NO	S	DESCRIPTION	QTY
		Condenser Model #TMC2007. Mount above cab roof and below M9 Lights. Ref. 523022SD1	
70-01-6000	<	Yellow Certifoam High Density Insulation Body/Floor/Doors (R-6) GAS CHASSIS' INCLUDE HEAT BARRIER THIS GOES ON THE HEAT SHIELD THAT GOES OVER THE AXLE. THIS ALSO GETS THE THERMO HEAT INSULATION BLANKET ON THE BOTTOM OF THE FLOOR AND GOES FROM THE FRONT OF THE MODULE TO THE FUEL TANK.	1
70-01-6600	>	Automotive Grade Undercoating Under Module Body	1
70-02-2010	S < >	Dometic Refrigerator Drawer Model CD20 Specify Location: Telemetry area Rear Mounted Compressor Only	1
OXYGEN SYSTEM			
75-01-0000		Ohio Style Action Area Oxygen Outlet	1
75-01-2000	<	Ohio Style Ceiling Mounted Oxygen Outlet Installed between the 20" and 70" curbside grab assist rails.	1
75-01-4000	<	Ohio Style Right Wall Mounted Oxygen Outlet Curbside wall forward of the bandage cabinet.	1
75-01-8000	< >	Interior Oxygen Access/Viewing Door ACCESS DOOR WILL BE POLYCARBONATE FRAMED DOOR UNLESS OTHERWISE SPECIFIED.	1
75-01-8600	<	"M" Oxygen Tank Bracket In Streetside Front Compartment D-1, Wall #2, close to Wall #3.	1
75-03-3000	< >	ZICO Velcro Portable Oxygen Tank Straps (Pr) Specify Location: #M01010 SHIP LOOSE.	2
SUCTION SYSTEM			
80-01-0000		12 Volt Gast Suction Pump Controlled By Switch on Switch Panel	1
80-01-1500	<	1 Ohio Style Action Area Suction Outlet Includes Disconnect For Outlet. Hose Barb Must Fit The Suction Hose. Vacuum outlet mounted in the action area.	1
80-01-7500	<	SSCOR 22000 Suction Unit W/23002 Disposable Trap Set Includes Flush Mounted Action Area Panel And Disposable Trap Set. Includes 80-01-1500.	1

PART NO	S	DESCRIPTION	QTY
		Mount close to CPR seat. Ref. 523022SD1	
		PAINT	
85-00-0100	< >	Standard AkzoNobel Paint Process	1
		Includes 6 Year Pro-Rated Paint Warranty.	
85-01-0500	< >	Repaint Chassis ILOS O.E.M. White (Type I or Highliner)	1
		Specify Color: Red FLNA3042	
		SAME AS LAST UNIT	
		Touch-Up Paint Is Included For Colored Chassis	
85-01-1500	<	Paint Module Body Other Color ILOS O.E.M. White	1
		Specify Color: Red FLNA3042	
		SAME AS LAST UNIT	
85-01-4500		Delete Standard Beltline Stripe	1
85-02-8500	<	Custom Two-Tone Paint	1
		Specify Location And Color: Body to be Black Over Red.	
		TOP Color: BLACK - FLNA4145	
		BOTTOM Color: Red FLNA3042	
		Paint break will be just under the upper warning lights on the module only.	
		Cab is all Red.	
		NOTE: PAINT SPRAY SAMPLES MUST BE SENT OUT TO CUSTOMER FOR APPROVAL. Sent 08-11-20, Approved 08-23-20.	
85-02-9500		Do Not Paint The Nader Pins/Install After Paint Process	1
85-02-9585	<	Paint AC Condenser Cover	1
		Red FLNA3042	
85-02-9700	<	Placard To Be Painted To Match Module	3
		Red FLNA3042	

PART NO	S	DESCRIPTION	QTY
85-03-0000		< > Standard 1/4" Black Reflective Edge Pinstripe INSTALL ON PAINT BREAK ON UPPER MODULE.	1
85-03-3500		< 1" Scotchlite Striping (Per Foot) Specify Color And Location: Black. Shall be a 1" stripe above and below the black 4" stripe. There will be a 1" Red paint gap between the 1" and 4" Stripes. This will angle slightly up on the module sides. Includes rear entry doors. Ref. 523022SD1	120
85-03-4500	S	< 4" Scotchlite Striping (Per Foot) Specify Color And Location: (1) BLACK. Angle up slightly on module sides. Include rear entry doors. Ref. 5231 (1) RED (NOTE: Understand it wont match the paint 100% but use the reflective that is the closest. Install just above the impact rail to meet Trans 309. Each Side - Module Only.	120
85-03-7010		< Powder Coated Wheels Specify Color: Glossy BLACK. Include Spare Tire. Ref. 5121.	1
85-04-0600		< > 6" Wide Rear Wall Chevron (Two Color-Full Wall) Specify Tape Color #1: Reflexite V98 #O12 Red. Specify Tape Color #2: Reflexite V98 #L2 Fluorescent Lime. There shall be 6" wide two color REFLEXITE reflective chevrons applied to the rear wall of the module.	1
85-04-1000		< > Lower Door Panel Chevron (Inner Door Panel) (Ea) THE FOLLOWING REAR FACING DOORS SHALL HAVE CHEVRON INSTALLED. P1, P2, P4, D1, D2, D3, R1x 2. 6" Chevron. Specify Tape Color #1: Reflexite V98 #O12 Red. Specify Tape Color #2: Reflexite V98 #L2 Fluorescent Lime.	8
85-DL-0100	S	< Vortex Valor Seat Base Gray Vortex bottom half of seat base, previous units are rusting and staining the floor. See 65-05-8005	1

PART NO	S	DESCRIPTION	QTY
		EMBLEMS AND DECALS	
	<	USE SAME FONT AS UNIT Ref.523022SD1	
		Lettering Font; 3 New Got B	
		Numerals Font; Franklin Gothic Medium	
		NO ITALIC ON ANY OF THE LETTERING.	
		BOLD LIKE UNIT 523022SD1	
90-01-0600	<	<i>Install Roof "SOL" Decal Only (Delete AMBULANCE Decals Only)</i> Delete Only The "AMBULANCE" Decals. INSTALL ROOF SOL - 18" ILOS. INSTALL 12" BLUE SOL's ON REAR. Ref. 523022SD1 Ship The Remainder Of The Decals Loose.	1
90-01-1100	<	"NO SMOKING" - "FASTEN SEAT BELT" Decals 1-Installed In The Cab. 1-Installed In The Module.	1
90-01-1200		No Other Decals or Lettering Included Unless Specified Below	1
90-01-4110	<	<i>Install Gerber Vision On Entry Window (Ea)</i> Rear entry doors. GERBER VISION TO BE ALL BLACK.	2
90-01-5100	S <	<i>Install 3/4" Red Reflective Tape Around Side And Rear Entry Doors</i> KKK-F Certification Requirement. NOTE: USE RED DUE TO RED PAINTED AMBULANCE.	1
90-01-6400	< >	<i>3" Scotchlite Reflective Lettering (Ea)</i> Specify Color: BLACK. FONT: 3 New Got B No Italic Lettering Specify Lettering Location: Above the rear doors "PARAMEDIC"	9
90-01-6405	< >	<i>3" Vinyl EFX Lettering (Ea)</i> Specify Color: EFX LARGE ENGINE TURN GOLD. FONT: 3 New Got B No Italic Lettering	9

PART NO	S	DESCRIPTION	QTY
		Specify Lettering Location: Above the rear doors	
		"PARAMEDIC"	
		Large Engine Turn Only	
		5 Year Expected Life	
		No Warranties	
90-01-6500	< >	4" <i>Scotchlite Reflective Lettering (Ea)</i> Specify Color: BLACK. FONT: 3 New Got B. For the letters. Franklin Gothic Medium for the Numerals	47
		No Italic Lettering	
		Specify Lettering Location: BOTH FRONT FENDERS: "M471"	
		REAR OF MODULE, UPPER RIGHT - BLACK OVER LARGE ENGINE TURN GOLD "M471"	
		FRONT MODULE WALL ABOVE CONDENSER. LARGE ENGINE TURN OVER BLACK OUTLINE. "GREEN BAY FIRE"	
		REAR ENTRY DOORS, LOWER. LARGE ENGINE TURN OVER BLACK OUTLINE. UNDER DOOR LATCHES. "GREEN BAY METRO". "FIRE DEPARTMENT".	
90-01-6505	< >	4" <i>Vinyl EFX Lettering (Ea)</i> Specify Color: EFX -LARGE ENGINE TURN GOLD. FONT: 3 New Got B. For the letters. Franklin Gothic Medium for the Numerals	47
		No Italic Lettering	
		Specify Lettering Location: BOTH FRONT FENDERS: "M471"	
		REAR OF MODULE, UPPER RIGHT - BLACK OVER LARGE ENGINE TURN GOLD "M471"	

PART NO	S	DESCRIPTION	QTY
		FRONT MODULE WALL ABOVE CONDENSER. LARGE ENGINE TURN OVER BLACK OUTLINE. "GREEN BAY FIRE"	
		REAR ENTRY DOORS, LOWER. LARGE ENGINE TURN OVER BLACK OUTLINE. UNDER DOOR LATCHES. "GREEN BAY METRO". "FIRE DEPARTMENT".	
		Large Engine Turn Only 5 Year Expected Life No Warranties	
90-01-7000	< >	6" Scotchlite Reflective Lettering (Ea) Specify Color: BLACK. FONT: 3 New Got B.	75
		No Italic Lettering	
		Specify Lettering Location:	
		BOTH MODULE SIDES UNDER GREEN BAY METRO.	
		"FIRE DEPARTMENT" "PARAMEDIC - AMBULANCE"	
		REAR ENTRY DOORS, UNDER THE WINDOWS, ABOVE DOOR LATCHES.	
		"AMBULANCE"	
90-01-7005	< >	6" Vinyl EFX Lettering (Ea) Specify Color: EFX LARGE ENGINE TURN GOLD. FONT: 3 New Got B.	75
		No Italic Lettering	
		Specify Lettering Location:	
		BOTH MODULE SIDES UNDER GREEN BAY METRO.	
		"FIRE DEPARTMENT"	

PART NO	S	DESCRIPTION	QTY
		"PARAMEDIC - AMBULANCE"	
		REAR ENTRY DOORS, UNDER THE WINDOWS, ABOVE DOOR LATCHES.	
		"AMBULANCE"	
		Large Engine Turn Only 5 Year Expected Life No Warranties	
90-01-7500	< >	8" <i>Scotchlite Reflective Lettering (Ea)</i> Specify Color: BLACK. FONT: 3 New Got B. For the letters. Franklin Gothic Medium for the Numerals No Italic Lettering Specify Lettering Location: BOTH MODULE SIDES. "GREEN BAY METRO". PLACARDS "4"	29
90-01-7505	< >	8" <i>Vinyl EFX Lettering (Ea)</i> Specify Color: EFX LARGE ENGINE TURN GOLD. FONT: 3 New Got B. For the letters. Franklin Gothic Medium for the Numerals No Italic Lettering Specify Lettering Location: BOTH MODULE SIDES. "GREEN BAY METRO". PLACARDS "4" Large Engine Turn Only 5 Year Expected Life No Warranties	29
90-DL-0100	S <	18" <i>Scotchlite Reflective Lettering (Ea)</i> Specify Color: WHITE.	4

PART NO	S		DESCRIPTION	QTY
			Specify Lettering Location: ROOF. Ref. 5231	
			Font for the numbers: Franklin Gothic Semi Bold.	
			"M471"	
90-DL-0200	S	<	<i>Customer Provided Cab Door Emblems</i> Specify Custom Option: INSTALL (2) CUSTOMER PROVIDED CAB DOOR EMBLEMS.	2
95-DC-LL01	S	<	<i>Brush Guard</i> Specify Custom Option: INSTALL DEALER SUPPLIED ARIES #P3067 BRUSH GUARD. see 10-CS-1800.	1
			NOTE: Whelen Dominator Will Be Installed In Center Area Of This Grille Guard.	
95-DC-LL02	S	<	<i>Seat Covers</i> See 10-DL-0500.	2
95-DC-LL04	S	<	<i>Knox Key Secure</i> see 10-SP-0100.	1
95-DC-LL05	S	<	<i>Gamber Johnson Equipment</i> see 10-SP-0200	1
95-DC-LL06	S	<	<i>City Supplied Items</i> Specify Custom Option: Radio Antennas-Cables (2) Larsen NMOKHFUDTHK25 Thick Panel R/A NMO Cable (1) Larsen NMOKFUD Assy. (1) Cellular/GPS/LTE - GPSD-7-27-24-58 (1) Motorola APX-7500 (or similar) radio (2) Control heads (1) UHF radio, self-contained (2) Radio Speakers (1) Havis # C-EB25-MRD-1P bracket to be installed in the action area for a Motorola CM300D Radio. (2) Havis # C-EB25-XTL-1P brackets to be installed. One will go in the action area. One will go in the console (2) Radio Data Cables for Remote Heads (1) Cat5 or Cat6 Cable (1) DB9 Serial Cable (2) Cab Door Emblems	1

PART NO	S	DESCRIPTION	QTY
		Radio Antennas-Cables (supplied by City) There shall be two (2) Larsen NMOKHFUDTHK25 Thick Panel R/A NMO Cable Assemblies installed on the module roof. Location on the roof of the two assemblies and where the individual cables run to shall be determined at pre-build. One (1) Larsen NMOKFUD assembly shall be mounted on cab roof and run back to the radio cabinet	
		Cellular/GPS/LTE Antenna (supplied by City) There shall be one (1) GPSD-7-27-24-58 Antenna installed in the module roof. The exact location of the antennas and where the cables run to shall be determined at the pre-build meeting.	
		Radio Mounting (supplied by City) A Motorola APX-7500 (or similar) radio and two control heads shall be mounted. The actual radio (transceiver) shall be mounted in a cabinet for such radio. One control head shall be mounted in the action area and one mounted in the front cab console. Specific mounting locations shall be determined at pre-build. A UHF radio (furnished by the City) with its self-contained speaker will also be mounted in the action area. Specific mounting location shall be determined at pre-build. Havis Trim Bezel (supplied by city) Supply a Havis # C-EB25-MRD-1P bracket to be installed in the action area for a Motorola CM300D Radio. Supply two Havis # C-EB25-XTL-1P brackets to be installed. One will go in the action area. One will go in the counsel	
		Radio Speakers (supplied by City) There shall be two (2) radio speakers mounted. One shall be mounted in the cab and one to be mounted in the rear action area. Specific locations shall be determined at pre-build.	
		MDT Cables (supplied by city) There shall be one Cat5 cable and one DB9 serial cable routed from the radio cabinet to inside the cab console.	
95-DC-LL07	S <	Knox Med Vault see 65-12-5345	1

PART NO	S	DESCRIPTION	QTY
95-DC-LL09	S <	<i>Rosco Vision</i> see 40-DL-0300	1
		DV440 DVXC4, HD 2 CAM VIDEO RECORDER, 128GB SD CARD, NON-CONNECTED	
		NOTE TO CUSTOMER: THIS IS NEARING END OF PRODUCTION AND WILL BE REPLACED BY THE DV660 IF THE DV440 IS NO LONGER AVAILABLE	
95-DC-LL12	S <	<i>David Clark System</i> see 55-DL-0300.	1
95-DL-0100	S <	<i>Delivery</i> Specify Custom Option: FINAL INSPECTION / DELIVERY	1
95-DL-0300	S <	<i>Sage In-Room Sharps</i> Specify Custom Option: SHIP LOOSE	2
95-DL-0400	S <	<i>Stryker Options</i> Specify Custom Option: TBD	1
95-DL-0500	S <	<i>HGAC Fee</i> Specify Custom Option:	1
END OF QUOTE/PRODUCTION ORDER			
95-SP-0100	<	1 Original & 1 Revision Work Order Before Penalty Pricing 1 Original Draft & 1 Revision Draft Work Order Before Penalty Pricing. The Revision Rate Is \$130.00 Per Hour With 1 Hour Minimum Charge.	1
95-SP-0200		1 Original & 1 Revision Drawing Before Penalty Pricing	1
95-SP-0600		Change After Sign-Off (Published Price + 50%)	1
95-SP-0700		Change After Production Start (Published Price + 75%)	1
95-SP-0800		Change After Production Completion (Published Price + 100%)	1
95-SP-0850	<	Life Line Indemnification Statement The purchaser agrees to defend, idemnify and hold Life Line	1

PART NO	S	DESCRIPTION	QTY
		harmless from any claims, costs (including actual attorneys' fees), damages and liabilities caused in whole or in part by alteration or modification of, or changes or additions to the purchased products or use of product purposes it was not designed or intended for.	
	<	***SIGNATURE-LIFE LINE EMERGENCY VEHICLES*** This Is A Contract Between Life Line Emergency Vehicles And The Franchised Distributor Entering The Order. No Agreements Verbal Or Written Arrived At Between The Selling Distributor And The Purchasing Agency Not Listed On This Order Are Binding Upon Life Line Emergency Vehicles. Life Line Emergency Vehicles reserves the right to request a surcharge on the price in the event of an increase in its costs resulting from any significant increases in cost of production, introduction of Government taxes on manufacturing, or any other circumstances beyond Life Line Emergency Vehicles' control and affecting the ambulance manufacturing industry in general. All adjustments shall become affective thirty (30) days following Life Line Emergency Vehicles' written notice of such surcharge. If Buyer is unwilling to accept any such surcharge, Buyer shall have the right to terminate this agreement within such thirty (30) day period. THE VEHICLE IS BUILT TO THIS PRODUCTION ORDER. IT IS THE DISTRIBUTORS RESPONSIBILITY TO ASSURE THE VEHICLE MEETS THE CUSTOMER SPECIFICATIONS. Date Of Order: SPECIFY Franchised Distributor: SPECIFY Quote Number: SPECIFY Ordered By: _____	
		Total	341,950.00



Purchasing Department
100 North Jefferson Street - Room 101
Green Bay, Wisconsin 54301-5026
www.greenbaywi.gov

Phone 920.448.3047
Fax 920.448.3050

August 15, 2023

Jefferson Fire & Safety, Inc. Rob Little
7620 Donna Drive Middleton, WI 53562 (608) 836-0068
rob@jeffersonfire.com

RE: INTENT TO PURCHASE
Quote # 10944-0001 Super D
171" Superliner Type 1
Budget Estimate \$379,761.00

Dear Rob Little:

The City of Green Bay intends to purchase one (1) 171" Superliner Type 1 QB 929 Ambulance Per Specifications on the Document starting on Page 2. A specification sheet for this vehicle is attached. Funding for this purchase includes 2025 bonded dollars.

This Intent To Purchase is contingent upon the City of Green Bay Finance Committee approval which is anticipated to be meeting on September 12, 2023 and City of Green Bay Council Meeting on September 19, 2023.

Upon approval, a purchase order will immediately follow.

These meetings are open to the public and attendance is not required. As the room and time may change, please confirm the date, time, and location if you plan to attend.

Thank you for your continued interest in doing business with the City of Green Bay. If you have any questions, or require additional information, please feel free to contact me at 920-448-3048.

Sincerely,

Thomas J. Walenski
Procurement Manager City of Green Bay

Cc: Fire Chief Matt Knott
Finance Director COGB Diana Ellenbecker
Battalion Chief Drew Spielman



Report to the
Finance Committee
of the City of Green Bay

MEETING DATE

September 26, 2023

PREPARED BY

Diana Ellenbecker, Finance Director

AGENDA ITEM # E.2

Consideration with possible action regarding a resolution to cover the first \$25,000 of the Carlson Dettman Consulting market assessment approved by the Common Council on May 2, 2023.

BACKGROUND

The Common Council approved this item on May 2, 2023.

Invoices of \$25,000 have now been paid and are covered by contingency funds. The resolution is the final step.

RECOMMENDATION

Approval of the Request.

FISCAL IMPACT

ATTACHMENTS

- I. Resolution-transfer from Contingency for Carlson Dettmann market assessment

**RESOLUTION AUTHORIZING
TRANSFER OF FUNDS**

October 3, 2023

BY THE COMMON COUNCIL OF THE CITY OF GREEN BAY, RESOLVED:

Pursuant to the recommendation of the Finance Committee at its meeting of September 26, 2023, the following 2023 transfer of funds is hereby authorized:

	<u>ACCOUNT</u>	<u>AMOUNT</u>
From:	101099-59001 Contingency	\$25,000.00
To:	101180-53001 Contractual services	\$25,000.00

This budget amendment to cover the first \$25,000 of the Carlson Dettman market assessment that was approved by Common Council on 5-2-2023.

Adopted _____

Approved _____

Mayor

Clerk